

Anti-Static Spray

1 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Anti-Static Spray
SDS Number: DAV2009
Product Code: AS
Revision Date: 06/12/2019
Version: 7
CAS Number: Contains CAS #64-17-5
EPA Number: Not Applicable
Chemical Family: Alcohols
Chemical Formula: *** PROPRIETARY ***
Product Use: Grooming Aid

Supplier Details: Davis Manufacturing
541 Proctor Avenue
Scottsdale, GA 30079

Contact: Emergency Contact: Chem-Tel 800 255-3924
Phone: 404 292-2424
Fax: 404 292-3049
Email: mail@davismfg.com
Web: www.davismfg.com

Emergency Phone for USA: 1 800 255-3924
Emergency Phone for International: +011 813 248-0585
Service for products with hazardous items provided
by Chem-Tel Inc Under Contract # MIS0001878

2 HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Flammable Liquids, 3
Health, Aspiration hazard, 2
Health, Respiratory or skin sensitization, 1 Skin

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: **WARNING**

GHS Hazard Pictograms:



GHS Hazard Statements:

Flammable liquid and vapour
H305 - May be harmful if swallowed and enters airways
H317 - May cause an allergic skin reaction

GHS Precautionary Statements:

P102 - Keep out of reach of children.
P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
P103 - Read label before use.
P234 - Keep only in original container.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Eyes Moderate; Ingestion Moderate; Inhalation Moderate; Skin Low
Target Organs: Eyes; Gastrointestinal tract; Respiratory system;
Inhalation: May cause dizziness
Skin Contact: May cause irritation.
Eye Contact: May cause irritation.
Ingestion: May cause gastrointestinal irritation; and large amounts may cause serious harm.

3 COMPOSITION/INFORMATION OF INGREDIENTS

Chemical Ingredients:		
CAS#	%	Chemical Name:
64175	38-40%	Ethanol

In accordance with OSHA's Hazard Communication Standard, only hazardous materials are listed.

4 FIRST AID MEASURES

Inhalation: Remove to fresh air.
Skin Contact: Wash with soap and water. Remove contaminated clothing and wash before reuse.
Eye Contact: In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes using an eyewash fountain, if available. Lift upper and lower lids and rinse under them with copious amounts of water. Get medical attention.
Ingestion: Drink two glasses of water. Do NOT induce vomiting.
Get immediate medical attention.

5 FIRE FIGHTING MEASURES

Flammability: Flammable Liquid
Flash Point: 80 F/26.6 C
Flash Point Method: Tag Closed Cup

Extinguishing Media: Carbon Dioxide, Dry Chemical or Foam

Unusual Fire & Explosion Hazards: Vapors may travel or move by air currents to an ignition source and flash back.

6 ACCIDENTAL RELEASE MEASURES

Shut off ignition sources, no smoking or flames in area.
Wear appropriate Personal Protective Equipment such as safety goggles & safety gloves.
Ventilate area and wash spill site after material pickup is complete.

7 HANDLING AND STORAGE

Handling Precautions: Consider normal working hygiene. Avoid contact with eyes or skin. or clothing. For external use only. Keep away from sources of ignition. Keep material out of reach of children.
Storage Requirements: Store in original, closed container. Keep away from heat, sparks, and flames. Keep away from children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Local exhaust ventilation may be necessary when handling this product in small, enclosed spaces.
Personal Protective Equipment: Gloves not normally needed for limited use by end user, but use of safety glasses may be advised to avoid direct contact with eyes.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless to Pale Pink Liquid
Physical State: Liquid
Odor: Faint ethereal and sweetish odor.

Spec Grav./Density: SG=0.939 / 7.83 Lb per Gal

10 STABILITY AND REACTIVITY

Chemical Stability: Product is stable under normal conditions.
Conditions to Avoid: Avoid extremely high temperatures.
Materials to Avoid: Oxidizing Agents
Hazardous Decomposition: None
Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Unknown for mixture

12 ECOLOGICAL INFORMATION

Unknown for mixture

13 DISPOSAL CONSIDERATIONS

Dispose of in accordance with prevailing local, state and federal regulations.

14 TRANSPORT INFORMATION

UN1170, Ethanol or Ethyl alcohol or Ethanol solutions or Ethyl alcohol solutions, 3, PGIII
DOT Shipping Name: UN1170. Ethanol Solution, 3 PGIII (In smaller quantities or sizes may be Limited Quantity (Ltd Qty).
Or until 2020, can be Consumer Commodity, ORM-D



15 REGULATORY INFORMATION

Fire: Yes
S 16 Keep away from sources of ignition -- No smoking.
S 2 Keep out of the reach of children
*Ethanol (64175 n/a%) MASS, OSHAWAC, PA, TXAIR

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List
OSHA = OSHA workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TXAIR = TX Air Contaminants with Health Effects Screening Level

16 OTHER INFORMATION

BE SAFE: READ OUR PRODUCT SAFETY INFORMATION AND PASS IT ON.
Product liability law requires it. The information provided in this Safety Data Sheet has been obtained from current sources believed to be reliable. The manufacturer provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration and investigation. You should satisfy yourself that you have all current data relevant to your

particular use.

Revision Date: 06/12/2019