SDS GHS Safety Data Sheet **Davis Manufacturing**



Holiday Type Cologne

PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Holiday Type Cologne

SDS Number: 1275 **Product Code:** C.HOL **Revision Date:** 11/06/2019

Version:

CAS Number: Contains CAS #64-17-5

EPA Number: Not Applicable **Chemical Family:** Alcohols **Product Use:** Pet Cologne

Supplier Details: Davis Manufacturing

541 Proctor Avenue Scottdale, GA 30079

Contact: Emergency Contact: Chem-Tel 800 255-3924

Phone: 404 292-2424 Fax: 404 292-3049 Email: mail@davismfg.com Web: www.davismfg.com

Emergency Phone for USA: 1800 255-3924

Emergency Phone for International: +011 813 248-0585

Service provided by Chem-Tel Inc under contract # MIS0001878

2

HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Aspiration hazard, 2 Physical, Flammable Liquids, 3

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: WARNING





GHS Hazard Statements:

May be harmful if swallowed and enters airways

H226 - Flammable liquid and vapour

GHS Precautionary Statements:

P102 - Keep out of reach of children.

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking P101 - If medical advice is needed, have product container or label at hand.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Eyes; High; Ingestion; High; Inhalation; Moderate; Skin; Moderate

Target Organs: Cental nervous system; Eyes; Gastrointestinal system; Lungs; Respiratory system;

Inhalation: May irritate the respiratory tract and mucous membranes. Overexposure may cause central nervous system

symptoms similar to those listed under "Ingestion".

Skin Contact: May cause irritation.

SDS Number: 1275 Page: 1/4 Revision Date: 11/06/2019 Repeated skin contact may result in allergic skin reacton in a very small proportion of individuals. Repeated or prolonged contact may result in defatting, redness, itching inflammation, cracking.

Eye Contact: Direct contact may cause irritation, pain or inflammation & possible corneal damage.

Ingestion: For external use only. if swallowed, vomiting may occur due to bitter taste. May cause harmful central

nervous system effect if swallowed. Effects may include excitation, headache, dizziness. Overexposure to large amounts may cause above symptoms as well as drowsiness, loss of consciousness, respiratory arrest.

Aspiration into lungs may cause pneumonititis.

Persons with pre-existing liver impairment or respiratory disorders may be at an increased risk from overexposure. This product is for external use only; it is NOT for consumption. Denaturants have been added.

3 COMPOSITION/INFORMATION OF INGREDIENTS

In accordance with OSHA's Hazard Communication Standard, only hazardous materials are listed.

Chemical Ingredients:		
CAS#	%	Chemical Name:
64-17-5	90-97%	Ethanol

4 FIRST AID MEASURES

Inhalation: If symptoms develop, move person to fresh air & if symptoms persist, consult a physician.

If breathing is difficult, oxygen may be given by qualified personnel.

Skin Contact: If signs of irritation, wash with mild soap and water.

If contact has been widespead and prolonged, or if irritation persists, obtain medical attention. Wash contaminated

clothing before reuse.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate

irrigation.

Get immediate medical attention.

Ingestion: If person is fully conscious, give 2 glasses of water. DO NOT INDUCE VOMITING EXCEPT ON ADVICE OF

EMERGECY MEDICAL PERSONEL, CALL A PHYSICIAN.

5 FIRE FIGHTING MEASURES

Flammability: Flammable Liquid
Flash Point: 67 F (20 C)
Flash Point Method: Not Established

Extinguishing Media: Carbon Dioxide, Dry Chemical or Foam

Unusual Fire & Explosion Hazards: Vapors may travel or move by air currents to an ignition source and flash back. Wear self contained breathing apparatus and other protective clothing in fire fighting situation.

Vapors may form flammable or explosive mixtures with air at room temperature. Vapors may concentrate in confined areas. Irritating or toxic substances may be emitted upon thermal decomposition.

6 ACCIDENTAL RELEASE MEASURES

If released or spilled: Dispense sand, sawdust or vermiculite. Collect and place in waste container. Wash area thoroughly with water.

Shut off ignition sources, no smoking or flames in area.

7 HANDLING AND STORAGE

Handling Precautions: For Externat Use, do not swallow. Keep away from heat, sparks and flames. Keep away from children.

Avoid breathing vapor. Do not get in eyes, Keep container closed. Use with adequate ventilation. Vapors from this may travel or be moved by air currents and ignited by pilot lights, other flames, smoking sparks, heaters static discharges or other ignition sources at locations distant from product handling area and

SDS Number: 1275 Page: 2 / 4 Revision Date: 11/06/2019

may flashback. Wash thoroughly after handling. Store at normal ambient temperatures.

Storage Requirements: Store in original, closed container. Keep away from heat, sparks, and flames.

Keep away from children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: General (mechanical) room ventilation is expected to be satisfactory where this product is stored.

Special local ventilation is needed at points where vapors can be expected to escape the workplace air.

Personal Protective

Gloves not normally needed by end user, but use of safety glasses advised to avoid direct contact with

Equipment:

eyes.

Exposure Limits:

Ethanol: OSHA ACGIH

PEL 1000 ppm 1000 ppm

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear Liquid Spray

Physical State: Liquid

Odor: Herbal-Floral Aroma

Flammability: Flammable Liquid

Flash Point: 67 F/19C

10 STABILITY AND REACTIVITY

Chemical Stability: Product is stable under normal conditions. Avoid sources of ignition.

Conditions to Avoid: Avoid heat, sparks, flames and ignition sources. Avoid extremely high temperatures.

Materials to Avoid: Strong Oxidizing Agents, mineral acids, strong acids and strong bases.

Hazardous Decomposition: Burning can produce the following products: Carbon monoxide and/or carbon dioxide. Carbon monoxide

is highly toxic if inhaled; carbon dioxide in sufficient concentrations can act as an asphyxiant.

Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Unknown for mixture

12 ECOLOGICAL INFORMATION

Unknown for mixture

13 DISPOSAL CONSIDERATIONS

Dispose of in accordance with prevailing local, state and federal regulations.

14 TRANSPORT INFORMATION

UN1170, Ethanol or Ethyl alcohol or Ethanol solutions or Ethyl alcohol solutions, 3, PGII

DOT Shipping Name: UN1170, Ethanol Solution, 3 PGII (In smaller quantities or sizes may be Limited Quantity (Ltd Qty) or until 2020, can be classified as Consumer Commodity, ORM-D)

SDS Number: 1275 Page: 3 / 4 Revision Date: 11/06/2019



15

REGULATORY INFORMATION

- R 22 Harmful if swallowed.
- S 16 Keep away from sources of ignition -- No smoking.
- S 2 Keep out of the reach of children.
- S 21 When using do not smoke.
- S 25 Avoid contact with eyes.
- S 46 If swallowed, seek medical advice immediately and show container or label.

16

OTHER INFORMATION

BE SAFE: READ OUR PRODUCT SAFETY INFORMATION AND PASS IT ON.

Product liability law requires it. The information provided in this Safety Data Sheet has been obtained from current sources believed to be reliable. The manufacturer provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration and investigation. You should satisfy yourself that you have all current data relevant to your particular use.

Revision Date: 11/06/2019