GHS Safety Data Sheet Davis Mfg & Pkg Inc



Cool Blue

MSDS Number: 1061 (A06972) Revision Date: 05/12/2015

> Page **of** 6

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer Vendor

Manufactured for Davis Mfg & Pkg Inc

541 Protcor Avenue Scottdale, GA 30079

Contact: Emergency Contact: Chem-Tel 800 25!

Phone: 404 292-2424 Fax: 404 292-3049 mail@davismfg.com Email: Web: www.davismfg.com

Product Name: Cool Blue **Revision Date:** 05/12/2015 Version:

MSDS Number: 1061 (A06972)

CAS Number: Contains CAS# 67-64-1 & CAS# 67-63-0

Product Code: CB

EPA Number: Not Applicable **Chemical Family:** Alcohols

Clipper Blade Cool & Lube (lubrication for hair trimmers/clippers) **Product Use:**

Emergency Phone for USA: 1 800 255-3924

Emergency Phone for International: +011 813 248-0585 Service for products with hazardous items provided by Chem-Tel Inc Under Contract # MIS0001878

HAZARDS IDENTIFICATION

Route of Entry: Inhalation: Moderate; Eyes: Moderate; Skin: Low; Ingestion: Moderate

Target Organs: Cental nervous system; Cardiovascular system;

Eyes; Gastrointestinal system; Heart; Lungs; Respiratory system; Skin;

Inhalation: Excessive inhalation of vapors can cause central nervous system depression with dizziness, confusion,

incoordination, drowsiness or unconsciousness.

Skin Contact: May cause mild irritation and mild defatting. **Eye Contact:** May cause irritation or temporary corneal injury.

Ingestion: Possible chemical pneumonitis if aspirated into lungs; also nausea.

GHS Safety Data Sheet Davis Mfg & Pkg Inc



Cool Blue

MSDS Number: 1061 (A06972) Revision Date: 05/12/2015

Page 2 of 6

HMIS III: H1/F3/PH0



GHS Signal Word: DANGER

GHS Hazard Pictograms:







GHS Classifications:

Physical, Flammable Aerosols. 1

Health, Respiratory or skin sensitization, 1 Skin Physical, Gases Under Pressure, Dissolved Gas

Health, Serious Eye Damage/Eye Irritation, 2 A

GHS Phrases:

H222 - Extremely flammable aerosol

H317 - May cause an allergic skin reaction

H280 - Contains gas under pressure; may explode if heated

H319 - Causes serious eye irritation

GHS Precautionary Statements:

P102 - Keep out of reach of children.

P103 - Read label before use.

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P251 - Pressurized container: Do not pierce or burn, even after use.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P101 - If medical advice is needed, have product container or label at hand.

P304+312 - IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

P264 - Wash _ thoroughly after handling.

P305 - IF IN EYES: _

P351 - Rinse continuously with water for several minutes.

P338 - Remove contact lenses if present and easy to do. Continue rinsing.

P271 - Use only outdoors or in a well-ventilated area.

P304 - IF INHALED: _

P340 - Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P410+403 - Protect from sunlight. Store in a well ventilated place.

GHS Safety Data Sheet Davis Mfg & Pkg Inc



Cool Blue

MSDS Number: 1061 (A06972) Revision Date: 05/12/2015

Page 3 of 6

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas # | Percentage | Chemical Name

67-64-1 | 15 - 40 % | Acetone

67-63-0 | 7 - 13 % | Isopropyl alcohol

FIRST AID MEASURES

Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention

Skin Contact: Remove contaminated clothing and wash before reuse.

Wash off skin with soap and plenty of water.

Eye Contact: Flush with water for at least 15 minutes, occasionally lifting lower & upper eyelids. If irritated, seek medical attention.

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the

first 5 minutes, then continue

rinsing eye. Call a doctor for treatment advice.

Ingestion: DO NOT induce vomiting except on the advice of a physician or emergency medical personnel. Get prompt, qualified

medical attention.

5 FIRE FIGHTING MEASURES

Flammability: Flammable Aerosol N/A Not Available

Flash Point Method: N/A
Autoignition Temp: N/E
LEL: N/E
UEL: N/E

Contents under pressure. Exposure of aerosol cans to temperatures above

120 F may cause bursting.

Extingushing Media: Foam, CO2, Dry Chemical.Special Fire Fighting Procedures: Keep aerosol containers cooled with water fog to prevent bursting

Contents may be heavier than air if released. Containers may explode and rapidly release pressure resulting in the potential for additional hazards.

Unusal Fire or Explosion Hazards: Do not expose aerosols to temperatures above 122 F (50 C) or the container may rupture.

Special Fire Fighting Procedures: Self-contained breathing apparatus.

GHS Safety Data Sheet Davis Mfg & Pkg Inc



Cool Blue

MSDS Number: 1061 (A06972) Revision Date: 05/12/2015

Page 4 of 6

6

ACCIDENTAL RELEASE MEASURES

Absorb liquid with suitable, clay-like absorbent. Place in closed drum for proper disposal. DO NOT FLUSH TO SEWER. Large spills are unlikely due to aerosol packaging. Ventilate area. Shut off ignition sources, no smoking or flames in area.

.

HANDLING AND STORAGE

Handling Precautions: Do not puncture or incinerate containers. Do not store at temperatures above 120 F. Avoid exposure to

strong oxidizers.

Avoid prolonged or repeated exposure to vapors.

KEEP OUT OF REACH OF CHILDREN. Avoid food contamination.

Consider normal working hygiene, after using product, wash hands with soap and water before handling

food.

Storage Requirements: Do not store at temperature above 120 F. Keep away from heat and sources of ignition, Never store in a

vehicle. Store upright without excessive weight on top. NOTE: Contents under pressure, may explode if

heated.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Local exhaust ventilation may be necessary to avoid breathing excessive vapors. Mechanical ventilation

should be used when handling this product in enclosed spaces. Local exhaust ventilation may be

necessary.

Personal Protective Equip: HMIS PP, B | Goggles, Gloves

If repeated skin contact is possible, use neoprene, nitrile, or viton protective gloves. Safety glasses are recommended. Use NIOSH/OSHA approved eye protection.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, Forceful Spray

Physical State:Clear Liquid SprayOdor:Alcohol OdorSolubility:Partialy soluble

VOC: 40%

10 STABILITY AND REACTIVITY

Stability: Stable at normal room temperature and normal conditions.

Conditions to Avoid: Avoid open flame, welding arcs, extreme heat, sparks. Avoid damp or high moisture conditions. Avoid

excessive heat and/or direct sun light.

Materials to Avoid: Strong Oxidizing Agents.

Hazardous Decomposition: Not determined or not applicable

Hazardous Polymerization: Will not occur.

GHS Safety Data Sheet Davis Mfg & Pkg Inc



Cool Blue

MSDS Number: 1061 (A06972) Revision Date: 05/12/2015

Page 5 of 6

11

TOXICOLOGICAL INFORMATION

Unknown for mixture

12

ECOLOGICAL INFORMATION

Unknown for mixture

13

DISPOSAL CONSIDERATIONS

Never open an aerosol container. Ensure container is completely emptied by pressing and holding the nozzle button until all the contents of the container are released. Continue to hold button down until any remaining gas has escaped the container. Container may be recycled. before recycling ensure container is completely empty. Contact your local waste removal company before recycling to ensure compliance with local regulations.

4.4

TRANSPORT INFORMATION

DOT Class: Flammable Gas (2.1) #2.1

UN #: UN 1950, Class: 2, Proper Shipping Name: Aerosols, Flammable Gas Aerosol (Level 3 Aerosol)

In small sizes such as this 14 oz aerosol, product may be Consumer Commodity, ORM-D for domestic shipments until 2020, or may also be Limited Quantity (Ltd Qty).





GHS Safety Data Sheet Davis Mfg & Pkg Inc



Cool Blue

MSDS Number: 1061 (A06972) Revision Date: 05/12/2015

Page 6 of 6

15

REGULATORY INFORMATION

None known for mixture

*Acetone (67641 n/a%) CERCLA, HAP, MASS, NJHS, OSHAWAC, PA, SARA313, TOXICRCRA, TSCA, TXAIR, TXHWL

*Isopropyl alcohol (67630 n/a%) MASS, NJHS, NRC, OSHAWAC, PA, SARA313, TSCA, TXAIR

REGULATORY KEY DESCRIPTIONS

·----

CERCLA = Superfund clean up substance
HAP = Hazardous Air Pollutants
MASS = MA Massachusetts Hazardous Substances List
NJHS = NJ Right-to-Know Hazardous Substances
OSHAWAC = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
SARA313 = SARA 313 Title III Toxic Chemicals
TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)
TSCA = Toxic Substances Control Act
TXAIR = TX Air Contaminants with Health Effects Screening Level
TXHWL = TX Hazardous Waste List

NRC = Nationally Recognized Carcinogens

16

OTHER INFORMATION

BE SAFE: READ OUR PRODUCT SAFETY INFORMATION AND PASS IT ON.

Product liability law requires it. The information provided in this Material Safety Data Sheet has been obtained from current sources believed to be reliable. The manufacturer provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration and investigation. You should satisfy yourself that you have all current data relevant to your particular use.