

SDS GHS Safety Data Sheet



Dry Shampoo

1 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Dry Shampoo
SDS Number: 1428
Product Code: DS
Revision Date: 11/19/2018
Version: 1
CAS Number: Contains CAS #64-17-5
EPA Number: Not Applicable
Chemical Family: Alcohols
Product Use: Pet Shampoo
Vendor Details: Manufactured for Davis Manufacturing
541 Protcor Avenue
Scottdale, GA 30079
Contact: Emergency Contact: Chem-Tel 800 255-3924
Phone: 404 292-2424
Email: mail@davismfg.com
Web: www.davismfg.com

Emergency Phone for USA: 1 800 255-3924
Emergency Phone for International: +011 813 248-0585
Service for products with hazardous items provided for Davis
by Chem-Tel Inc Under Contract # MIS0001878

2 HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Gases Under Pressure, Compressed Gas
Health, Serious Eye Damage/Eye Irritation, 2 A
Physical, Flammable Gases, 1

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: DANGER

GHS Hazard Pictograms:



GHS Hazard Statements:

H280 - Contains gas under pressure; may explode if heated
H319 - Causes serious eye irritation
H220 - Extremely flammable gas

GHS Precautionary Statements:

P102 - Keep out of reach of children.
P103 - Read label before use.
P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
P264 - Wash ... thoroughly after handling.
P251 - Do not pierce or burn, even after use.
P280f - Wear eye protection/face protection.
P305 - IF IN EYES:
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do

Continue rinsing.
P337 + P313 - If eye irritation persists: Get medical advice/attention.
P410 - Protect from sunlight.
P403 - Store in a well-ventilated place.
P412 - Do not expose to temperatures exceeding 50 °C/ 122 °F.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Eyes; High; Ingestions; High; Inhalation; Moderate; Skin; Moderate
Target Organs: Central nervous system; Eyes; Gastrointestinal system; Lungs; Respiratory system;
Inhalation: May irritate the respiratory tract and mucous membranes. Overexposure may cause central nervous system symptoms similar to those listed under "Ingestion".
Skin Contact: May cause irritation.
Repeated skin contact may result in allergic skin reaction in a very small proportion of individuals.
Repeated or prolonged contact may result in defatting, redness, itching inflammation, cracking.
Eye Contact: Direct contact may cause irritation, pain or inflammation & possible corneal damage.
Ingestion: If accidentally swallowed, vomiting may occur due to bitter taste. May cause harmful central nervous system effect if swallowed. Effects may include excitation, headache, dizziness. Overexposure to large amounts may cause above symptoms as well as drowsiness, loss of consciousness, respiratory arrest. Aspiration into lungs may cause pneumonitis.

Persons with pre-existing liver impairment or respiratory disorders may be at an increased risk from overexposure. This product is for external use only.

3 COMPOSITION/INFORMATION OF INGREDIENTS

In accordance with OSHA's Hazard Communication Standard, only hazardous materials are listed.

Chemical Ingredients:		
CAS#	%	Chemical Name:
64-17-5	15-40%	Ethanol

4 FIRST AID MEASURES

Inhalation: If symptoms develop, move person to fresh air & if symptoms persist, consult a physician.
Give oxygen or artificial respiration if needed.
Skin Contact: If signs of irritation, wash with mild soap and water
Remove contaminated clothing immediately and launder before reuse.
Eye Contact: If in eyes, rinse cautiously with water, remove contacts and continue rinsing for at least 10 minutes or until satisfied.
Get medical attention if necessary.
Ingestion: DO NOT induce vomiting except on the advice of a physician or emergency medical personnel.
Never give anything by mouth to an unconscious person.

5 FIRE FIGHTING MEASURES

Flammability: Flammable Liquid
Flash Point: Not available for mixture.

Extinguishing Media: Dry Chemical, Sand or Carbon Dioxide.

If extinguishing methods are unavailable, cool the container with water if exposed to heat or flame.
Remove the container from the area if it can be done without further risk.

Contents under pressure. May explode if exposed to heat greater than 122 F (50 C).
Contents may be heavier than air if released.
Containers may explode and rapidly release pressure, resulting in the potential for additional hazards.

6 ACCIDENTAL RELEASE MEASURES

Remove or eliminate all sources of ignition. Establish ventilation to keep atmospheric concentrations below limits.
 Avoid breathing vapors.
 Wear protective equipment. (See Section 8)
 Remove and keep all unprotected persons away from area.

7	HANDLING AND STORAGE
----------	-----------------------------

Handling Precautions:	Do not expose containers to open flame, excessive heat, or direct sunlight. Do not puncture or incinerate containers. Do not store at temperatures above 120 F. Avoid exposure to strong oxidizers. Wash thoroughly after handling.
Storage Requirements:	Store locked up in a well ventilated area. Protect container from sunlight. NEVER store in a vehicle. Do not expose to temperatures above 122 F (50 C). Keep away from heat, sparks, and flames or any sources of ignition. Keep away from children. Keep away from oxidizing agents and watery environments. Store upright without excessive load on top.

8	EXPOSURE CONTROLS/PERSONAL PROTECTION
----------	--

Engineering Controls:	General (mechanical) room ventilation may be adequate. if exposure limits are exceeded and inhaled, use a NIOSH approved respirator.
Personal Protective Equipment:	Do not get the the eyes. Gloves and goggles not normally needed for limited use by end user. Use NIOSH/OSHA EN 166 approved eye protection may be advised for Industry workers.
Exposure Limits:	
Ethanol: OSHA PEL 1000 ppm	ACGIH 1000 ppm

9	PHYSICAL AND CHEMICAL PROPERTIES
----------	---

Appearance:	Aerosol liquid		
Physical State:	Aerosol Liquid	Odor:	Fruit Aroma

10	STABILITY AND REACTIVITY
-----------	---------------------------------

Chemical Stability:	Product is stable under normal conditions. Avoid sources of ignition.
Conditions to Avoid:	Avoid heat, sparks, flames and ignition sources and watery environments. Avoid extremely high temperatures.
Materials to Avoid:	Strong Oxidizing Agents, mineral acids, strong acids and strong bases.
Hazardous Decomposition:	Not determined or not applicable.
Hazardous Polymerization:	Will not occur.

11	TOXICOLOGICAL INFORMATION
-----------	----------------------------------

Unknown for mixture

12	ECOLOGICAL INFORMATION
-----------	-------------------------------

Unknown for mixture

13

DISPOSAL CONSIDERATIONS

Container may be recycled. Before recycling: ensure container is completely emptied by pressing and holding the nozzle button until all the contents of the container are released. Continue to hold button down until any remaining gas has escaped the container. Never open an aerosol container. Contact your local waste removal company before recycling to ensure compliance with local regulations. Dispose of in accordance with prevailing local, state and federal regulations.

14

TRANSPORT INFORMATION

UN1950, Aerosols, flammable, (each not exceeding 1 L capacity), 2.1,(6.1), (Ethanol Solution in Aerosol)

Aerosols, Class 2.1 ; UN#1950 In small sizes product is LTD QTY (or until 2020 may be considered Consumer Commodity, ORM-D for domestic shipments).

15

REGULATORY INFORMATION

Component (CAS#) [%] - CODES

Ethanol (64-17-5) [15-40%] MASS, OSHAWAC, PA, TSCA, TXAIR

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory CODE Descriptions

MASS = MA Massachusetts Hazardous Substances List
OSHAWAC = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TSCA = Toxic Substances Control Act
TXAIR = TX Air Contaminants with Health Effects Screening Level

California Proposition 65, Not Applicable.

This product does not contain any chemicals known to the State of California to cause cancer, birth defects or any other reproductive harm.

16

OTHER INFORMATION

HMIS III: Health = 1, Fire = 4, Physical Hazard = 2

HMIS	
HEALTH	1
FLAMMABILITY	4
PHYSICAL HAZARD	2
PERSONAL PROTECTION	

BE SAFE: READ OUR PRODUCT SAFETY INFORMATION AND PASS IT ON.

Product liability law requires it. The information provided in this Safety Data Sheet has been obtained from current sources believed to be reliable. The manufacturer provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration and investigation. You should satisfy yourself that you have all current data relevant to your particular use.

Revision Date: 11/19/2018