

# MSDS *Material Safety Data Sheet*

Davis Mfg. & Pkg., Inc.

FlexiJoint

MSDS Number: 1076

Revision Date: 11/17/2008

Page 1 of 3

## 1 PRODUCT AND COMPANY IDENTIFICATION

### Manufacturer

Davis Mfg. & Pkg., Inc.  
541 Proctor Avenue

Scottsdale, GA 30079

### Contact:

Telephone Number: 404 292-2424

FAX Number: 404 292-3049

E-Mail: mail@davismfg.com

Web www.davismfg.com

**Product Name:** FlexiJoint  
**Revision Date:** 11/17/2008  
**Version:** 2  
**MSDS Number:** 1076  
**Product Code:** FJ  
**EPA Number:** Not Applicable  
**Chemical Family:** Glucosamine Blend  
**Chemical Formula:** \*\*\* PROPRIETARY \*\*\*  
**Product Use:** Pet Dietary Supplement

## 2 HAZARDS IDENTIFICATION

**Route of Entry:** Not Applicable  
**Target Organs:** A non-hazardous dietary supplement made for animal ingestion.  
**Inhalation:** Not an inhalation risk under conditons of normal use.  
**Skin Contact:** Non-irritating under conditions of normal use.  
**Eye Contact:** Not an eye hazard under conditions of normal use.  
**Ingestion:** Generally Regarded As Safe

## 3 COMPOSITION/INFORMATION ON INGREDIENTS

In accordance with OSHA's Hazard Communication Standard, only hazardous materials are listed.

## 4 FIRST AID MEASURES

**Inhalation:** Not considered dangerous.  
**Skin Contact:** Not considered dangerous.  
**Eye Contact:** Because of solid nature of product, eye contact unlikely. Not considered dangerous.  
**Ingestion:** Not considered dangerous. Edible quality.

# MSDS *Material Safety Data Sheet*

Davis Mfg. & Pkg., Inc.

FlexiJoint

MSDS Number: 1076

Revision Date: 11/17/2008

Page 2 of 3

## 5 FIRE FIGHTING MEASURES

Flash Point: N/A

Flash Point Method: N/A

Fight the surrounding fire. Extinguishing Media: Carbon Dioxide, Dry Chemical or Foam

## 6 ACCIDENTAL RELEASE MEASURES

Use normal cleaning procedures; not dangerous.

## 7 HANDLING AND STORAGE

Handling Precautions: Consider normal working hygiene.

Storage Requirements: Store in cool/dry area. Store at room temperature (59-86 F)

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Normal room ventilation

Protective Equipment: Not applicable

Exposure Guidelines/Other: N/A

## 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Dark, rounded, tubular soft chews

Physical State: Solid

Odor: Characteristic grain

pH: N/A

Vapor Pressure:

Vapor Density:

Boiling Point:

Freezing/Melting Pt.:

Solubility:

Spec Grav./Density:

Glucosamine-based pet supplement, generally regarded as safe.

## 10 STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.

Conditions to avoid: Avoid excessive heat and/or direct sun light.

Materials to avoid (incompatibility): None known

Hazardous Decomposition products: None known for product.

Hazardous Polymerization: Will not occur.

## 11 TOXICOLOGICAL INFORMATION

Generally regarded as safe.

# **MSDS** *Material Safety Data Sheet* Davis Mfg. & Pkg., Inc.

FlexiJoint

MSDS Number: 1076

Revision Date: 11/17/2008

Page 3 of 3

## **12** ECOLOGICAL INFORMATION

Readily biodegradable. Aquatic toxicity: NA

## **13** DISPOSAL CONSIDERATIONS

Dispose of in accordance with prevailing local, state and federal regulations.

## **14** TRANSPORT INFORMATION

DOT Class: Not regulated #

Non-hazardous.

## **15** REGULATORY INFORMATION

N/A, Generally Regarded As Safe

## **16** OTHER INFORMATION

Neither this data nor any statement contained herein grants or extends any license, expressed or implied, in connection with patents issued or pending which may be the property of the manufacturer or others. The information in this data sheet has been assembled by the manufacturer based on its own studies and on the work of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) to the vendee, the vendee's employee's, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy, or furnishing of such information.

**END OF MSDS DOCUMENT**