

SDS

GHS Safety Data Sheet

Davis Mfg. & Pkg., Inc.



Glitter Adhesive

SDS Number: 1095

Revision Date: 05/11/2015

Page 1 of 5

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Davis Mfg. & Pkg., Inc.
541 Proctor Avenue
Scottsdale, GA 30079

Contact: Emergency Contact: Chem-Tel 800 255-3924
Phone: 404 292-2424
Fax: 404 292-3049
Email: mail@davismfg.com
Web: www.davismfg.com

Product Name: Glitter Adhesive
Revision Date: 05/11/2015
Version: 5
SDS Number: 1095
CAS Number: Contains CAS #64-17-5
Product Code: GA
EPA Number: Not Applicable
Chemical Family: Alcohols
Product Use: Adhesive for Pet Grooming Product

Emergency Phone for USA: 1 800 255-3924
Emergency Phone for International: +011 813 248-0585
Service for products with hazardous items provided for Davis
by Chem-Tel Inc Under Contract # MIS0001878

2 HAZARDS IDENTIFICATION

Route of Entry: Eyes; High; Ingestions; High; Inhalation; Moderate; Skin; Moderate

Target Organs: Central nervous system; Eyes; Gastrointestinal system; Lungs; Respiratory system;

Inhalation: May irritate the respiratory tract and mucous membranes. Overexposure may cause central nervous system symptoms similar to those listed under "Ingestion".

Skin Contact: May cause irritation.
Repeated skin contact may result in allergic skin reaction in a very small proportion of individuals.
Repeated or prolonged contact may result in defatting, redness, itching inflammation, cracking.

Eye Contact: Direct contact may cause irritation, pain or inflammation & possible corneal damage.

Ingestion: If accidentally swallowed, vomiting may occur due to bitter taste. May cause harmful central nervous system effect if swallowed. Effects may include excitation, headache, dizziness. Overexposure to large amounts may cause above symptoms as well as drowsiness, loss of consciousness, respiratory arrest. Aspiration into lungs may cause pneumonitis.

Glitter Adhesive

SDS Number: 1095

Revision Date: 05/11/2015

Page 2 of 5

GHS Signal Word:
DANGER

GHS Hazard Pictograms:



GHS Classifications:

Physical, Flammable Liquids, 3
Health, Respiratory or skin sensitization, 1 Respiratory
Health, Respiratory or skin sensitization, 1 Skin
Health, Aspiration hazard, 2

GHS Phrases:

Flammable liquid and vapour
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H317 - May cause an allergic skin reaction
H305 - May be harmful if swallowed and enters airways

GHS Precautionary Statements:

P102 - Keep out of reach of children.
P103 - Read label before use.
P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
P233 - Keep container tightly closed.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P262 - Do not get in eyes, on skin, or on clothing.
P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Persons with pre-existing liver impairment or respiratory disorders may be at an increased risk from overexposure. This product is for external use only.

3	COMPOSITION/INFORMATION ON INGREDIENTS
----------	---

Ingredients:

In accordance with OSHA's Hazard Communication Standard, only hazardous materials are listed.

Chemical Name:	weight %	CAS
Ethanol	91 - 93 %	64-17-5
Polyurethane	7 - 9 %	Mixture

4	FIRST AID MEASURES
----------	---------------------------

Inhalation: If symptoms develop, move person to fresh air & if symptoms persist, consult a physician.

Skin Contact: If signs of irritation, wash with mild soap and water.

If contact has been widespread and prolonged, or if irritation persists, obtain medical attention. Wash contaminated clothing before reuse.

Eye Contact: If direct contact with eyes, immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids

SDS

GHS Safety Data Sheet

Davis Mfg. & Pkg., Inc.



Glitter Adhesive

SDS Number: 1095

Revision Date: 05/11/2015

Page 3 of 5

occasionally to facilitate irrigation.

Get immediate medical attention.

Ingestion:

If person is fully conscious, give 2 glasses of water to dilute. Obtain medical attention without delay. Do NOT induce vomiting. Inducing vomiting should be done only by experienced first aid personnel, with the advice of a doctor who has been apprised of the ingredients ingested.

5

FIRE FIGHTING MEASURES

Flammability:

Flammable Liquid

Flash Point:

68 F/20 C

Flash Point Method:

Closed Cup

Extinguishing Media: Carbon Dioxide, Dry Chemical or Foam

Unusual Fire & Explosion Hazards: Vapors may travel or move by air currents to an ignition source and flash back. Wear self contained breathing apparatus and other protective clothing in fire fighting situation.

Vapors may form flammable or explosive mixtures with air at room temperature. Vapors may concentrate in confined areas. Irritating or toxic substances may be emitted upon thermal decomposition.

6

ACCIDENTAL RELEASE MEASURES

If released or spilled: Dispense sand, sawdust or vermiculite. Collect and place in waste container. Wash area thoroughly with water.

Shut off ignition sources, no smoking or flames in area.

7

HANDLING AND STORAGE

Handling Precautions:

Do not swallow. Keep away from heat, sparks and flames. Keep away from children. Avoid excessive breathing of vapor. Do not get in eyes. Keep container closed. Use with adequate ventilation. Vapors from this may travel or be moved by air currents and ignited by pilot lights, other flames, smoking sparks, heaters static discharges or other ignition sources at locations distant from product handling area and may flashback. Wash thoroughly after handling. Store at normal ambient temperatures.

Storage Requirements:

Store in original, closed container. Keep away from heat, sparks, and flames. Keep away from children.

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

General (mechanical) room ventilation is expected to be satisfactory where this product is stored.

Personal Protective Equip:

Special local ventilation is needed at points where vapors can be expected to escape the workplace air. Safety glasses or goggles. If repeated skin contact is possible, use neoprene, nitrile, or other chemical-resistant gloves.

Exposure Limits:

SDS

GHS Safety Data Sheet

Davis Mfg. & Pkg., Inc.



Glitter Adhesive

SDS Number: 1095

Revision Date: 05/11/2015

Page 4 of 5

Ethanol: OSHA PEL 1000 ppm
ACGIH 1000 ppm

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid
Physical State: Liquid Spray
Odor: Alcohol Odor

10

STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions. Avoid sources of ignition.
Conditions to Avoid: Avoid heat, sparks, flames and ignition sources. Avoid extremely high temperatures.
Materials to Avoid: Strong Oxidizing Agents, mineral acids, strong acids and strong bases.
Hazardous Decomposition: Burning can produce the following products: Carbon monoxide and/or carbon dioxide. Carbon monoxide is highly toxic if inhaled; carbon dioxide in sufficient concentrations can act as an asphyxiant.
Hazardous Polymerization: Will not occur.

11

TOXICOLOGICAL INFORMATION

Unknown for mixture

12

ECOLOGICAL INFORMATION

Unknown for mixture

13

DISPOSAL CONSIDERATIONS

Dispose of in accordance with prevailing local, state and federal regulations.

SDS

GHS Safety Data Sheet

Davis Mfg. & Pkg., Inc.



Glitter Adhesive

SDS Number: 1095

Revision Date: 05/11/2015

Page 5 of 5

14

TRANSPORT INFORMATION

DOT Class: Flammable Liquid (3) #3

UN #: UN 1170, Class: 3, Proper Shipping Name: Ethanol (Ethyl alcohol) or Ethanol solution (Ethyl alcohol solution)

DOT Shipping Name: UN1170 Ethanol (Ethyl Alcohol) Solution, 3 PGII (In smaller quantities or sizes may be Limited Quantity or Consumer Commodity, ORM-D)



15

REGULATORY INFORMATION

R 22 Harmful if swallowed.

S 16 Keep away from sources of ignition -- No smoking.

S 2 Keep out of the reach of children.

S 21 When using do not smoke.

S 25 Avoid contact with eyes.

S 46 If swallowed, seek medical advice immediately and show container or label.

16

OTHER INFORMATION

BE SAFE: READ OUR PRODUCT SAFETY INFORMATION AND PASS IT ON.

Product liability law requires it. The information provided in this Material Safety Data Sheet has been obtained from current sources believed to be reliable. The manufacturer provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration and investigation. You should satisfy yourself that you have all current data relevant to your particular use.