

SDS GHS Safety Data Sheet

Davis Manufacturing



Nail Polish - Sparkling Nail Polish

1 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Nail Polish - Sparkling Nail Polish
SDS Number: 1204
Product Code: NP SPK
Revision Date: 10/03/2019
Version: 2
CAS Number: Contains CAS #141-78-6 & 123-86-4, 9004-70-0 & 67-63-0
EPA Number: Not Applicable
Chemical Family: Alcohols
Chemical Formula: *** PROPRIETARY ***
Product Use: Grooming Aid
Supplier Details: Davis Manufacturing
541 Proctor Avenue
Scottsdale, GA 30079
Contact: Emergency Contact: Chem-Tel 800 255-3924
Phone: 404 292-2424
Fax: 404 292-3049
Email: mail@davismfg.com
Web: www.davismfg.com

Emergency Phone for USA: 1 800 255-3924
Emergency Phone for International: +011 813 248-0585
Service for products with hazardous items provided for Davis
by Chem-Tel Inc Under Contract # MIS0001878

2 HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Flammable Liquids, 3
Health, Skin sensitization, 1 A
Health, Serious Eye Damage/Eye Irritation, 2 B

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: WARNING

GHS Hazard Pictograms:



GHS Hazard Statements:

H226 - Flammable liquid and vapour
H317 - May cause an allergic skin reaction
H320 - Causes eye irritation

GHS Precautionary Statements:

No GHS precautionary statements indicated

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Eyes Moderate; Ingestion High; Inhalation High; Skin Low
Target Organs: Eyes; Gastrointestinal Tract; Respiratory system; Nervous System
Inhalation: May cause dizziness, nose and throat irritation
Skin Contact: May cause irritation.

Eye Contact: May cause irritation or burning eyes
Ingestion: May cause gastrointestinal irritation; and distress and large amounts may cause serious harm.
Signs & Symptoms of Exposure: Headache, dizziness, nausea, confusion

3 COMPOSITION/INFORMATION OF INGREDIENTS

In accordance with OSHA's Hazard Communication Standard, only hazardous materials are listed.

Chemical Ingredients:		
CAS#	%	Chemical Name:
141786	<100%	Ethyl acetate
123864	<100%	Butyl acetates
67630	<100%	Isopropanol or Isopropyl alcohol
9004-70-0	<100%	Nitrocellulose, dry or wetted with less than 25% water (or alcohol), by mass

4 FIRST AID MEASURES

Inhalation: Remove to fresh air.
Skin Contact: Wash with soap and water. Remove contaminated clothing and wash before reuse.
Eye Contact: In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes using an eyewash fountain, if available. Lift upper and lower lids and rinse under them with copious amounts of water. Get medical attention.
Ingestion: CALL A PHYSICIAN.

5 FIRE FIGHTING MEASURES

Flammability: Flammable Liquid
Flash Point: 25 F / 5 C
Flash Point Method: Tag Closed Cup

Extinguishing Media: Carbon Dioxide, Dry Chemical or Foam

Unusual Fire & Explosion Hazards: If heated above the Flash Point, flammable vapors may be emitted. Vapors may travel or move by air currents to an ignition source and flash back.

6 ACCIDENTAL RELEASE MEASURES

Shut off ignition sources, no smoking or flames in area.
Wear appropriate Personal Protective Equipment such as safety goggles & safety gloves & approved mask.
Ventilate area and wash spill site after material pickup is complete.

7 HANDLING AND STORAGE

Handling Precautions: Consider normal working hygiene. Avoid contact with eyes or skin, or clothing. For external use only. Keep away from sources of ignition. Keep material out of reach of children.
Storage Requirements: Store in original, closed container. Keep away from heat, sparks, and flames. Keep away from children. Do not store over 120 F.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Local exhaust ventilation may be necessary when handling this product in small, enclosed spaces.
Personal Protective Equipment: (Vapor Respirator may be needed in fire situation)
Avoid direct contact with eyes. Gloves not normally needed by end user. For industry employees working with raw materials in repeated, large quantities, use of safety glasses, safety gloves and mask/mist respirator recommended.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid.
Physical State: Liquid Odor: Alcohol Odor

10 STABILITY AND REACTIVITY

Chemical Stability: Product is stable under normal conditions.
Conditions to Avoid: Avoid extremely high temperatures.
Materials to Avoid: Acids, Alkalies and Peroxides
Hazardous Decomposition: CO, CO₂, Nitrous Oxides, Smoke
Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Unknown for mixture

12 ECOLOGICAL INFORMATION

Unknown for mixture

13 DISPOSAL CONSIDERATIONS

Dispose of in accordance with prevailing local, state and federal regulations.

14 TRANSPORT INFORMATION

UN1263, Paint including paint, lacquer, enamel, stain, shellac solutions, varnish, polish, liquid filler, and liquid lacquer base, 3, PGII, (Ethyl Acetate, Butyl Acetate,)

DOT Shipping Name: Flammable Liquid UN1263 Class 3 PGII (In smaller quantities or sizes may be Limited Quantity/LTD QTY. Or until 2020 can be Consumer Commodity, ORM-D.



15 REGULATORY INFORMATION

Fire: Yes
S 16 Keep away from sources of ignition – No smoking.
S 2 Keep out of the reach of children
*Ethanol (64175 n/a%) MASS, OSHAWAC, PA, TXAIR

*Ethyl acetate (141786 n/a%) CERCLA, MASS, OSHAWAC, PA, TOXICRCRA, TXAIR, TXHWL

*Butyl acetates (123864 n/a%) CERCLA, CSWHS, MASS, OSHAWAC, PA, TXAIR

*Isopropanol or Isopropyl alcohol (67630 n/a%) MASS, NJHS, NRC, OSHAWAC, PA, SARA313, TXAIR

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List
OSHAWAC = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TXAIR = TX Air Contaminants with Health Effects Screening Level

CERCLA = Superfund clean up substance
TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)
TXHWL = TX Hazardous Waste List

CSWHS = Clean Water Act Hazardous substances

NJHS = NJ Right-to-Know Hazardous Substances

NRC = Nationally Recognized Carcinogens

SARA313 = SARA 313 Title III Toxic Chemicals

16	OTHER INFORMATION
----	-------------------

HMIS III: Health = 2, Fire = 3, Physical Hazard =

HMIS	
HEALTH	<input type="checkbox"/> 2
FLAMMABILITY	<input type="checkbox"/> 3
PHYSICAL HAZARD	<input type="checkbox"/>
PERSONAL PROTECTION	<input type="checkbox"/>

BE SAFE: READ OUR PRODUCT SAFETY INFORMATION AND PASS IT ON.

Product liability law requires it. The information provided in this Safety Data Sheet has been obtained from current sources believed to be reliable. The manufacturer provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration and investigation. You should satisfy yourself that you have all current data relevant to your particular use.

Revision Date: 10/03/2019