SDS

GHS Safety Data Sheet

Davis Mfg. & Pkg., Inc.

Scat

SDS Number: 1192 Revision Date: 05/11/2015

Page 1 of 4

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Davis Mfg. & Pkg., Inc. 541 Proctor Avenue Scottdale, GA 30079

Contact: Emergency Contact: Chem-Tel 800 255-3924

 Phone:
 404 292-2424

 Fax:
 404 292-3049

 Email:
 mail@davismfg.com

 Web:
 www.davismfg.com

Product Name: Scat Revision Date: 05/11/2015

Version: 3

SDS Number: 1192

CAS Number: Contains CAS #64-17-5

Product Code: SCAT

EPA Number: Not Applicable **Chemical Family:** Alcohols

Product Use: Spray to keep pets away

Emergency Phone for USA: 1 800 255-3924 Emergency Phone for International: +011 813 248-0585

Service for products with hazardous items provided for Davis

by Chem-Tel Inc Under Contract # MIS0001878

2 HAZARDS IDENTIFICATION

Route of Entry: Inhalation: Moderate; Ingestion: High; Eyes: Moderate; Skin: Moderate

Target Organs: Gastrointestinal tract; Digestive System; Cental nervous system; Eyes; Respiratory Tract, Skin; Lungs;

Inhalation: May irritate the respiratory tract and mucous membranes. Excessive inhalation of vapors can cause central nervous

sysem depression with

dizziness, headache, incoordination, drowsiness or fatigue.

Skin Contact: May cause irritation. Repeated or prolonged contact may result in defatting, redness, itching or inflammation.

Eye Contact: Direct contact with eyes may cause irritation, pain or possible corneal damage. Exposure to excessive vapors may

cause irritation.

Ingestion: Aspiration into lungs may cause pneumonititis.

For external use; may cause irritation if swallowed and large amounts may cause serious harm.

GHS Safety Data Sheet Davis Mfg. & Pkg., Inc.

Scat

SDS Number: 1192 Revision Date: 05/11/2015

Page 2 of 4

GHS Signal Word: WARNING

GHS Hazard Pictograms:





GHS Classifications:

Physical, Flammable Liquids, 4 Health, Aspiration hazard, 2

Health, Respiratory or skin sensitization, 1 Skin

GHS Phrases:

H227 - Combustible liquid

H305 - May be harmful if swallowed and enters airways

H317 - May cause an allergic skin reaction

GHS Precautionary Statements:

P102 - Keep out of reach of children.

P101 - If medical advice is needed, have product container or label at hand.

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Perc.	Chemical Name
64175	166-72 %	

FIRST AID MEASURES

Inhalation: If symptoms develop, move person to fresh air & if symptoms persist, consult a physician.

Skin Contact: If signs of irritation, wash with mild soap and water.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate

irrigation.

Seek medical attention if symptoms persist.

Ingestion: If person is fully conscious, give 2 glasses of water. Do Not induce vomiting except on the advice of a physician or

emergency medical personnel. Get qualified medical attention.

FIRE FIGHTING MEASURES

SDS

GHS Safety Data Sheet

Davis Mfg. & Pkg., Inc.

Scat

SDS Number: 1192 Revision Date: 05/11/2015

Page 3 of 4

Flammability: Flammable Liquid
Flash Point: 75 F/24 C
Flash Point Method: Closed Cup

Extinguishing Media: Carbon Dioxide, Dry Chemical or Foam

Firefighters should use self-contained breathing apparatus and protective clothing.

6 ACCIDENTAL RELEASE MEASURES

Shut off ignition sources, no smoking. Take up with sand or other noncombustible absorbant material and place in container for later disposal.

7 HANDLING AND STORAGE

Handling Precautions: Do not swallow. Keep away from heat, sparks and flames. Keep away from children. Avoid excessive

vapors. Do not get in eyes, Keep container closed. Use with adequate ventilation. Vapors from this may travel or be moved by air currents and ignited by pilot lights, other flames, smoking sparks, heaters static discharges or other ignition sources at locations distant from product handling area and may flashback.

Wash after handling. Store at normal ambient temperatures.

Storage Requirements: Store in original, closed container. Keep away from heat, sparks, and flames.

Keep away from children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Normal room ventilation

Personal Protective Equip: Gloves and goggles not normally needed for limited use by end user. Use caution to avoid getting

directly in eyes.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear Liquid

Physical State: Liquid Odor: Light Characteristic Alcohol Odor

10 STABILITY AND REACTIVITY

Stability:Product is stable under normal conditions.Conditions to Avoid:Avoid extreme heat, sparks and flamesMaterials to Avoid:Oxidizing Agents Strong Acids; Strong Bases

Hazardous Decomposition: Burning can produce the following products: Carbon monoxide and/or carbon dioxide. Carbon monoxide

is highly toxic if inhaled; carbon dioxide in sufficient concentrations can act as an asphyxiant.

Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Unknown for mixture

GHS Safety Data Sheet Davis Mfg. & Pkg., Inc.

Scat

SDS Number: 1192 Revision Date: 05/11/2015

Page 4 of 4

ECOLOGICAL INFORMATION

Unknown for mixture

DISPOSAL CONSIDERATIONS

Dispose of in accordance with prevailing local, state and federal regulations.

TRANSPORT INFORMATION

DOT Class: Not regulated

UN #: UN 1170, Class: 3, Proper Shipping Name: Ethanol (Ethyl alcohol) or Ethanol solution (Ethyl alcohol solution)

In small sizes product is LTY QTY (or until 2020 may be considered Consumer Commodity, ORM-D for domestic shipments).



REGULATORY INFORMATION

All ingredients for this product are listed on the TSCA inventory

*Ethanol (64175 n/a%) MASS, OSHAWAC, PA, TXAIR

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TXAIR = TX Air Contaminants with Health Effects Screening Level

OTHER INFORMATION

BE SAFE: READ OUR PRODUCT SAFETY INFORMATION AND PASS IT ON.

Product liability law requires it. The information provided in this Material Safety Data Sheet has been obtained from current sources believed to be reliable. The manufacturer provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration and investigation. You should satisfy yourself that you have all current data relevant to your particular use.