SDS

GHS Safety Data Sheet

Davis Manufacturing

Studio Color Vicious Violet

SDS Number: 1229 Revision Date: 01/11/2016

Page 1 **of** 5

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Davis Manufacturing 541 Proctor Avenue Scottdale, GA 30079

Contact: Emergency Contact: Chem-Tel 800 255-3924

 Phone:
 404 292-2424

 Fax:
 404 292-3049

 Email:
 mail@davismfg.com

 Web:
 www.davismfg.com

Product Name: Studio Color Vicious Violet

Revision Date: 01/11/2016

Version: 3

SDS Number: 1229

CAS Number: Contains CAS #64-17-5

Product Code: SCVV

EPA Number: Not Applicable
Chemical Family: Alcohols
Product Use: Pet Hair Color

Emergency Phone for USA: 1 800 255-3924

Emergency Phone for International: +011 813 248-0585 Service for products with hazardous items provided for Davis

by Chem-Tel Inc Under Contract # MIS0001878

HAZARDS IDENTIFICATION

Route of Entry: Inhalation: Moderate; Ingestion: High; Eyes: Moderate; Skin: Moderate

Target Organs: Gastrointestinal tract; Digestive System; Cental nervous system; Eyes; Respiratory Tract, Skin; Lungs;

Inhalation: May irritate the respiratory tract and mucous membranes. Excessive inhalation of vapors can cause central nervous

sysem depression with

dizziness, headache, incoordination, drowsiness or fatigue.

Skin Contact: May cause irritation. Repeated or prolonged contact may result in defatting, redness, itching or inflammation. Skin

may become discolored upon contact with the dye.

Eye Contact: Direct contact with eyes may cause irritation, pain or possible corneal damage. Exposure to excessive vapors may

cause irritation.

Ingestion: Aspiration into lungs may cause pneumonititis.

For external use; may cause irritation if swallowed and large amounts may cause serious harm.



GHS Safety Data Sheet

Davis Manufacturing

Studio Color Vicious Violet

SDS Number: 1229 Revision Date: 01/11/2016

Page 2 of 5

GHS Signal Word: DANGER

GHS Hazard Pictograms:





GHS Classifications:

Physical, Flammable Liquids, 3

Health, Respiratory or skin sensitization, 1 Respiratory

GHS Phrases:

Flammable liquid and vapour

May cause allergy or asthma symptoms of breathing difficulties if inhaled

GHS Precautionary Statements:

P102 - Keep out of reach of children.

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P103 - Read label before use.

P262 - Do not get in eyes, on skin, or on clothing.

P301 - IF SWALLOWED:

P311 - Call a POISON CENTER or doctor/physician.

3

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

FIRST AID MEASURES

Inhalation: If symptoms develop, move person to fresh air & if symptoms persist, consult a physician.

Skin Contact: If signs of irritation, wash with mild soap and water.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate

irrigation.

Seek medical attention if symptoms persist.

Ingestion: If person is fully conscious, give 2 glasses of water. Induce vomiting; this should be done by experienced first aid

personnel or with the advice of medical personnel. Obtain medical attention without delay.

5 FIRE FIGHTING MEASURES

Flammability: Flammable Liquid

SDS

GHS Safety Data Sheet

Davis Manufacturing

Studio Color Vicious Violet

SDS Number: 1229 Revision Date: 01/11/2016

Page 3 of 5

Flash Point: 79 F (26 C)
Flash Point Method: Tag Closed Cup

Extinguishing Media: Carbon Dioxide, Dry Chemical or Foam

Firefighters should use self-contained breathing apparatus and protective clothing.

Unusual Fire & Explosion Hazards: Vapors may travel or move by air currents to an ignition source and flash back. Dangerous when exposed to flame or extreme heat.

6 ACCIDENTAL RELEASE MEASURES

Shut off ignition sources, no smoking. Take up with sand or other noncombustible absorbant material and place in container for later disposal.

7 HANDLING AND STORAGE

Handling Precautions: Do not swallow. Keep away from heat, sparks and flames. Keep away from children. Avoid excessive

vapors. Do not get in eyes, Product may discolor skin. Keep container closed. Use with adequate ventilation. Vapors from this may travel or be moved by air currents and ignited by pilot lights, other flames, smoking sparks, heaters static discharges or other ignition sources at locations distant from product handling area and may flashback. Wash after handling. Store at normal ambient temperatures.

Storage Requirements: Store in original, closed container. Keep away from heat, sparks, and flames.

Keep away from children.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

Personal Protective Equip:

Normal room ventilation

If repeated skin contact is possible, use neoprene, nitrile, or viton protective gloves.

Safety glasses are recommended to avoid exposure to eyes.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Violet liquid

Physical State: Liquid Odor: Alcohol Odor

Solubility: Not available

10 STABILITY AND REACTIVITY

Stability:Product is stable under normal conditions.Conditions to Avoid:Avoid extreme heat, sparks and flamesMaterials to Avoid:Oxidizing Agents Strong Acids; Strong Bases

Hazardous Decomposition: Burning can produce the following products: Carbon monoxide and/or carbon dioxide. Carbon monoxide

is highly toxic if inhaled; carbon dioxide in sufficient concentrations can act as an asphyxiant.

Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

GHS Safety Data Sheet **Davis Manufacturing**

Studio Color Vicious Violet

SDS Number: 1229 Revision Date: 01/11/2016

Page 4 of 5

Unknown for mixture

ECOLOGICAL INFORMATION

Unknown for mixture

DISPOSAL CONSIDERATIONS

Dispose of in accordance with prevailing local, state and federal regulations.

TRANSPORT INFORMATION

DOT Class: Flammable Liquid (3) #3

DOT Shipping Name: UN1170 Ethanol Solution 3, PGIII (In smaller quantities or sizes may be Limited Quantity or until the year 2020, may also be Consumer Commodity, ORM-D).



REGULATORY INFORMATION

All ingredients for this product are listed on the TSCA inventory

*Ethanol (64175 n/a%) MASS, OSHAWAC, PA, TXAIR

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List OSHAWAC = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances

TXAIR = TX Air Contaminants with Health Effects Screening Level

OTHER INFORMATION

BE SAFE: READ OUR PRODUCT SAFETY INFORMATION AND PASS IT ON.

Product liability law requires it. The information provided in this Material Safety Data Sheet has been obtained from current sources believed to be reliable. The manufacturer provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration and investigation. You should satisfy yourself that you have all current data relevant to your particular use.

GHS Safety Data SheetDavis Manufacturing

Studio Color Vicious Violet

Revision Date: 01/11/2016

Page 5 of 5 SDS Number: 1229