



SDS Number: 1299

Revision Date: 05/27/2015

Page 1 of 5

### **PRODUCT AND COMPANY IDENTIFICATION**

#### Manufacturer

Davis Mfg. & Pkg., Inc. 541 Proctor Avenue Scottdale, GA 30079

Phone:	404 292-2424
Fax:	404 292-3049
Email:	mail@davismfg.com
Web:	www.davismfg.com

Product Name: Revision Date:	Mulled Cider Cologne 05/27/2015
Version:	4
SDS Number:	1299
CAS Number:	Contains CAS #64-17-5
Product Code:	C.MC
EPA Number:	Not Applicable
Chemical Family:	Alcohols
Product Use:	Pet Cologne Spray

Emergency Phone for USA: 1 800 255-3924 Emergency Phone for International: +011 813 248-0585 Service for products with hazardous items provided for Davis by Chem-Tel Inc Under Contract # MIS0001878

2	HAZARDS IDENTIFICATION
Route of Entry:	Inhalation: Moderate; Ingestion: High; Eyes: Moderate; Skin: Moderate
Target Organs:	Gastrointestinal tract; Digestive System; Cental nervous system; Eyes; Respiratory Tract, Skin; Lungs;
Inhalation:	May irritate the respiratory tract and mucous membranes. Excessive inhalation of vapors can cause central nervous sysem depression with dizziness, headache, incoordination, drowsiness or fatigue.
Skin Contact:	May cause irritation. Repeated or prolonged contact may result in defatting, redness, itching or inflammation.
Eye Contact:	Direct contact with eyes may cause irritation, pain or possible corneal damage. Exposure to excessive vapors may cause irritation.
Ingestion:	Aspiration into lungs may cause pneumonititis. For external use; may cause irritation if swallowed and large amounts may cause serious harm.






SDS Number: 1299

Revision Date: 05/27/2015

Page 2 of 5

HMIS III:

H2/F3/PH



GHS Signal Word: WARNING

GHS Hazard Pictograms:



GHS Classifications: Physical, Flammable Liquids, 3 Health, Aspiration hazard, 2 Health, Respiratory or skin sensitization, 1 Skin

GHS Phrases:

Flammable liquid and vapour H305 - May be harmful if swallowed and enters airways H317 - May cause an allergic skin reaction

GHS Precautionary Statements:

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P234 - Keep only in original container.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P102 - Keep out of reach of children.

## COMPOSITION/INFORMATION ON INGREDIENTS

#### Ingredients:

Cas #	Perc.	Chemical Name
64175	93 - 98 %	Ethanol





#### SDS Number: 1299

Revision Date: 05/27/2015

Page 3 of 5

Inhalation:	If symptoms develop, move person to fresh air & if symptoms persist, consult a physician.
Skin Contact:	If signs of irritation, wash with mild soap and water.
Eye Contact:	Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation.
	Seek medical attention if symptoms persist.
Ingestion:	If person is fully conscious, give 2 glasses of water.DO NOT induce vomiting; this should only be done by experienced first aid personnel or with the advice of medical personnel. Obtain medical attention without delay.

## FIRE FIGHTING MEASURES

Flammability:	Flammable Liquid
Flash Point:	68 F/20 C
Flash Point Method:	Tag Open Cup

Extinguishing Media: Carbon Dioxide, Dry Chemical or Foam Firefighters should use self-contained breathing apparatus and protective clothing.

Unusual Fire & Explosion Hazards: Vapors may travel or move by air currents to an ignition source and flash back. Dangerous when exposed to flame or extreme heat.

### ACCIDENTAL RELEASE MEASURES

Shut off ignition sources, no smoking. Take up with sand or other noncombustible absorbant material and place in container for later disposal.

7	HANDLING AND STORAGE
Handling Precautions:	Do not swallow. Keep away from heat, sparks and flames. Keep away from children. Avoid excessive vapors. Do not get in eyes, Keep container closed. Use with adequate ventilation. Vapors from this may travel or be moved by air currents and ignited by pilot lights, other flames, smoking sparks, heaters static discharges or other ignition sources at locations distant from product handling area and may flashback. Wash after handling. Store at normal ambient temperatures.
Storage Requirements:	Store in original, closed container. Keep away from heat, sparks, and flames. Keep away from children.

8	EXPOSURE CONTROLS/PERSONAL PROTECTION
Engineering Controls: Personal Protective Eq	Normal room ventilation <b>uip:</b> Gloves not normally needed by end user, but use of safety glasses advised to avoid direct contact with eyes.

9	PHYSICAL AND CHE	MICAL PROPERTIES		
Appearance: Physical State:	Red Liquid Liquid	Odor:	Fruit Aroma	
		Solubility:	Not available	





#### SDS Number: 1299

Revision Date: 05/27/2015

Page 4 of 5

10	STABILITY AND REACTIVITY
Stability:	Product is stable under normal conditions.
Conditions to Avoid:	Avoid extreme heat, sparks and flames
Materials to Avoid:	Oxidizing Agents Strong Acids; Strong Bases
Hazardous Decompositi	<b>on:</b> Burning can produce the following products: Carbon monoxide and/or carbon dioxide. Carbon monoxide is highly toxic if inhaled; carbon dioxide in sufficient concentrations can act as an asphyxiant.
Hazardous Polymerization	on: Will not occur.

11 TOXICOLOGICAL INFORMATION

Unknown for mixture

12 ECOLOGICAL INFORMATION

Unknown for mixture

|--|

Dispose of in accordance with prevailing local, state and federal regulations.

14

**TRANSPORT INFORMATION** 

DOT Class: Flammable Liquid (3) #3

UN #: UN 1170, Class: 3, Proper Shipping Name: Ethanol (Ethyl alcohol) or Ethanol solution (Ethyl alcohol solution)

DOT Shipping Name:UN1170 Ethanol Solution, 3, PGII (In smaller quantities or sizes may be Consumer Commodity, ORM-D until 2020 or LTD QTY



**REGULATORY INFORMATION** 

All ingredients for this product are listed on the TSCA inventory

\*Ethanol (64175 n/a%) MASS, OSHAWAC, PA, TXAIR

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TXAIR = TX Air Contaminants with Health Effects Screening Level





SDS Number: 1299

Revision Date: 05/27/2015

Page 5 of 5

OTHER INFORMATION

BE SAFE: READ OUR PRODUCT SAFETY INFORMATION AND PASS IT ON.

Product liability law requires it. The information provided in this Material Safety Data Sheet has been obtained from current sources believed to be reliable. The manufacturer provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration and investigation. You should satisfy yourself that you have all current data relevant to your particular use.